


Schalenkern SK 9 x 5  
*Pot core SK 9 x 5*

Magn. Formkenngrößen/Satz  
*eff. magn. parameters/set*

Formfaktor <i>core factor</i>	$C_1 =$	1,21 mm <sup>-1</sup>
Eff. magn. Weglänge <i>eff. magn. path length</i>	$l_e =$	12,3 mm
Eff. magn. Querschnitt <i>eff. magn. cross section</i>	$A_e =$	10,2 mm <sup>2</sup>
Eff. magn. Volumen <i>eff. magn. volume</i>	$V_e =$	125 mm <sup>3</sup>
Gewicht <i>weight</i>	$G \approx$	1 g



Werkstoff <i>material</i>	$A_L$ -Wert $A_L$ value nH	Toleranz <i>tolerance</i>	Luftspalt <i>airgap</i> mm	$\mu_e$	Bestellnummer <i>order number</i>
K 2005	1250	± 25%	-	≈ 1200	326 090000 025
K 2006	1225	± 25%	-	≈ 1180	326 090000 026
K 4000	2000	± 25%	-	≈ 1920	326 090000 004
K 6000	4000	± 30%	-	≈ 2880	326 090000 006
K 2005	160	± 10%	≈ 0,06	≈ 155	326 090160 025
K 2005	100	± 5%	≈ 0,10	≈ 95	326 090100 025
K 2005	63	± 3%	≈ 0,15	≈ 60	326 090063 025

*All information given without liability. If you require further information about our products, do not hesitate to contact our representatives, or visit our homepage, [www.kaschke.de](http://www.kaschke.de).*

**Kaschke Components GmbH**

Rudolf-Winkel-Straße 6 · 37079 Göttingen · Germany  
 Fon +49 (0) 551-5058-6 · Fax +49 (0) 551-65756  
[kaschke.de](http://kaschke.de)