


Schalenkern SK 18 x 11
Pot core SK 18 x 11

Magn. Formkenngrößen/Satz
eff. magn. parameters/set

Formfaktor <i>core factor</i>	$C_1 =$	0,57 mm ⁻¹
Eff. magn. Weglänge <i>eff. magn. path length</i>	$l_e =$	25,6 mm
Eff. magn. Querschnitt <i>eff. magn. cross section</i>	$A_e =$	44,6 mm ²
Eff. magn. Volumen <i>eff. magn. volume</i>	$V_e =$	1140 mm ³
Gewicht <i>weight</i>	$G \approx$	7 g



Werkstoff <i>material</i>	A_L -Wert A_L value nH	Toleranz <i>tolerance</i>	Luftspalt <i>airgap</i> mm	μ_e	Bestellnummer <i>order number</i>
K 2005	3000	± 25%	-	≈ 1430	326 180000 025
K 2006	2950	± 25%	-	≈ 1400	326 180000 026
K 4000	5200	± 25%	-	≈ 2500	326 180000 004
K 6000	7500	± 30%	-	≈ 3580	326 180000 006
K 2005	400	± 5%	≈ 0,10	≈ 190	326 180400 025
K 2005	315	± 5%	≈ 0,13	≈ 150	326 180315 025
K 2005	250	± 3%	≈ 0,18	≈ 120	326 180250 025

All information given without liability. If you require further information about our products, do not hesitate to contact our representatives, or visit our homepage, www.kaschke.de.

Kaschke Components GmbH

Rudolf-Winkel-Straße 6 · 37079 Göttingen · Germany
 Fon +49 (0) 551-5058-6 · Fax +49 (0) 551-65756
 kaschke.de